

1.0.0.0 Ai Tweaker

#####	
Ai Overclock Tuner (Ai-Übertaktungstuner).....	[Manuell]
BCLK Frequency (BCLK-Frequenz).....	[100.2480]
ASUS Multicore Enhancement (ASUS Multicore-Erweiterung).....	[Enabled – Remove All limits]
SVID Behavior.....	[Best-Case Scenario]
CPU-Bus-Geschwindigkeit: DRAM-Geschwindigkeits-Ratio-Modus.....	[100:133]
Memory Controller : DRAM Frequency Ratio.....	[1:1]
Speicherfrequenz.....	[DDR4-4141MHz]
Performance Core Ratio.....	[By Core Usage]
1-Core Ratio Limit.....	[54]
2-Core Ratio Limit.....	[54]
3-Core Ratio Limit.....	[53]
4-Core Ratio Limit.....	[53]
5-Core Ratio Limit.....	[52]
6-Core Ratio Limit.....	[52]
7-Core Ratio Limit.....	[52]
8-Core Ratio Limit.....	[52]
> Specific Performence Core.....	[>]
Efficient Core Ratio.....	[Sync All Cores]
ALL-Core Ratio Limit.....	[41]
> Specific Efficient Core.....	[>]
CPU SVID Support (CPU-SVID-Unterstützung).....	[Aktiviert]
> AVX Related Controls.....	[>]
> DRAM-Timing-Steuerung.....	[>]
> DIGI+ VRM.....	[>]
> Auto Coltage Caps.....	[>]
> Internal CPU Power Management (Interne CPU-Energieverealtung).....	[>]
> Thermal Velocity Boost.....	[>]
> V/F Point Offset.....	[>]
> Tweaker's Paradise.....	[>]
> AI Features.....	[>]
Ring Down Bin.....	[Auto]
Min CPU Cache Ratio (Minimales CPU-Cache-Verhältnis).....	[Auto]
Max. CPU Cache Ratio.....	[44]
BCLK Aware Adaptive Voltage.....	[Enabled]
CPU Core/Cache Voltage.....	[Manual Mode]
- CPU-Kernspannungsübergehung.....	[1.35000]
CPU L2 Voltage.....	[Auto]
CPU System Agent-Spannung.....	[Manual Mode]
- CPU System Agent Voltage Override.....	[1.35000]
CPU Input Voltage.....	[1.90000]
DRAM Voltage.....	[1.50000]
IVR Transmitter VDDQ Voltage.....	[1.50000]
> DRAM REF Voltage Control.....	[>]

1.1.0.0 Specific Performance Core

##### <td>Performance Core0 Specific Ratio Limit.....[53]</td>	Performance Core0 Specific Ratio Limit.....[53]
Performance Core0 specific Adaptive Voltage.....[Auto]	
Performance Core1 Specific Ratio Limit.....[53]	
Performance Core1 specific Adaptive Voltage.....[Auto]	
Performance Core2 Specific Ratio Limit.....[53]	
Performance Core2 specific Adaptive Voltage.....[Auto]	
Performance Core3 Specific Ratio Limit.....[53]	
Performance Core3 specific Adaptive Voltage.....[Auto]	
*Performance Core4 Specific Ratio Limit.....[55]	
Performance Core4 specific Adaptive Voltage.....[Auto]	
*Performance Core5 Specific Ratio Limit.....[55]	
Performance Core5 specific Adaptive Voltage.....[Auto]	
Performance Core6 Specific Ratio Limit.....[53]	
Performance Core6 specific Adaptive Voltage.....[Auto]	
Performance Core7 Specific Ratio Limit.....[53]	
Performance Core7 specific Adaptive Voltage.....[Auto]	

1.2.0.0 Specific Efficient Core

##### <td>Efficient Core Group0 Specific Ratio Limit.....[Auto]</td>	Efficient Core Group0 Specific Ratio Limit.....[Auto]
Efficient Core Group0 specific Adaptive Voltage.....[Auto]	
Efficient Core Group1 Specific Ratio Limit.....[Auto]	
Efficient Core Group1 specific Adaptive Voltage.....[Auto]	

1.3.0.0 AVX Related Controls

##### <td>AVX2.....[Auto]</td>	AVX2.....[Auto]
AVX512.....[Auto]	
AVX2 Ratio Offset to per-core Ratio Limit.....[Auto]	
AVX2 Voltage Guardband Scale Factor.....[Auto]	

1.4.0.0 DRAM-Timing-Steuerung

##### <td>DRAM CAS#-Verzögerungszeit.....[16]</td>	DRAM CAS#-Verzögerungszeit.....[16]
DRAM RAS# zu CAS#-Verzögerung.....[16]	
DRAM RAS# PRE-Zeit.....[16]	
DRAM RAS# ACT-Zeit.....[28]	
DRAM Command Rate.....[2N]	
DRAM RAS# to RAS# Delay L.....[6]	
DRAM RAS# to RAS# Delay S.....[4]	
DRAM REF-Umlaufzeit.....[280]	
DRAM REF Cycle Time 2.....[Auto]	
DRAM REF Cycle Time 4.....[Auto]	
DRAM Refresh Interval.....[65535]	
DRAM-SCHREIB-Aktualisierungszeit.....[14]	
DRAM READ zu PRE-Zeit.....[6]	
DRAM FOUR ACT WIN-Zeit.....[16]	
DRAM SCHREIBEN- zu LESEN-Verzögerung.....[Auto]	
DRAM WRITE to READ Delay L.....[Auto]	

DRAM WRITE to READ Delay S.....[Auto]
DRAM CAS to CAS Delay L.....[Auto]
DRAM CKE Minimum Pulse Width.....[6]
DRAM Write Latency.....[16]
> Skew Control.....[>]
> RTL IOL Control.....[>]
> Memory Training Algorithms.....[>]
 tRDRD_sg_Training.....[7]
 tRDRD_sg_Runtime.....[7]
 tRDRD_dg_Training.....[4]
 tRDRD_dg_Runtime.....[4]
 tRDWR_sg.....[11]
 tRDWR_dg.....[11]
 tWRWR_sg.....[7]
 tWRWR_dg.....[4]
 tWRRD_sg.....[29]
 tWRRD_dg.....[24]
 tRDRD_dr.....[7]
 tRDRD_dd.....[7]
 tRDWR_dr.....[11]
 tRDWR_dd.....[11]
 tWRWR_dr.....[7]
 tWRWR_dd.....[7]
 tWRRD_dr.....[6]
 tWRRD_dd.....[6]
 tWRPRE.....[32]
 tPRPDEN.....[Auto]
 tRDPDEN.....[Auto]
 tWRPDEN.....[Auto]
 tCPDED.....[Auto]
 tREFIX9.....[Auto]
Ref Interval.....[Auto]
tXPDLL.....[Auto]
tXP.....[Auto]
tPPD.....[Auto]
tCCD_L_tDLLK.....[Auto]
MRC-Systemschnellstart.....[Disabled]
MCH Full Check.....[Auto]
Mem Over Clock Fail Count.....[Auto]
Training Profile.....[Auto]
RxDfe.....[Auto]
Mrc Training Loop Count.....[Auto]
DRAM CLK Period.....[Auto]
Controller 0, Channel 0 Control.....[Enabled]
Controller 0, Channel 1 Control.....[Enabled]
Controller 1, Channel 0 Control.....[Enabled]
Controller 1, Channel 1 Control.....[Enabled]
MC_Vref0.....[Auto]
MC_Vref1.....[Auto]
MC_Vref2.....[Auto]
> Configure Memory Dynamic Frequency Switching.....[>]

1.4.1.0 Skew Control

```
#####
> DDRCRCOMPCTL0/1/2.....[ > ]  
ODT RTT WR (CHA).....[Auto]  
ODT RTT PARK (CHA).....[Auto]  
ODT RTT NOM (CHA).....[Auto]  
ODT RTT WR (CHB).....[Auto]  
ODT RTT PARK (CHB).....[Auto]  
ODT RTT NOM (CHB).....[Auto]  
ODT_READ_DURATION.....[Auto]  
ODT_READ_DELAY.....[Auto]  
ODT_WRITE_DURATION.....[Auto]  
ODT_WRITE_DELAY.....[Auto]
```

1.4.1.1 DDRCRCOMPCTL0/1/2

```
#####
Ctl0 dqvrefup.....[Auto]  
Ctl0 dqvrefdn.....[Auto]  
Ctl0 dqodtvrefup.....[Auto]  
Ctl0 dqodtvrefdn.....[Auto]  
Ctl1 cmdvrefup.....[Auto]  
Ctl1 ctlvrefup.....[Auto]  
Ctl1 clkvrefup.....[Auto]  
Ctl1 ckecsvrefup.....[Auto]  
Ctl2 cmdvrefdn.....[Auto]  
Ctl2 ctlvrefdn.....[Auto]  
Ctl2 clkvrefdn.....[Auto]
```

1.4.2.0 RTL IOL Control

```
#####
Round Trip Latency Init Value MC0 CHA.....[Auto]  
Round Trip Latency Max Value MC0 CHA.....[Auto]  
Round Trip Latency Offset Value Mode Sign MC0 CHA.....[-]  
Round Trip Latency Offset Value MC0 CHA.....[Auto]  
Round Trip Latency Init Value MC1 CHA.....[Auto]  
Round Trip Latency Max Value MC1 CHA.....[Auto]  
Round Trip Latency Offset Value Mode Sign MC1 CHA.....[-]  
Round Trip Latency Offset Value MC1 CHA.....[Auto]  
Round Trip Latency MC0 CHA R0.....[73]  
Round Trip Latency MC0 CHA R1.....[25]  
Round Trip Latency MC0 CHA R2.....[73]  
Round Trip Latency MC0 CHA R3.....[73]  
Round Trip Latency MC0 CHA R4.....[25]  
Round Trip Latency MC0 CHA R5.....[25]  
Round Trip Latency MC0 CHA R6.....[25]  
Round Trip Latency MC0 CHA R7.....[25]  
Round Trip Latency MC1 CHA R0.....[75]  
Round Trip Latency MC1 CHA R1.....[25]  
Round Trip Latency MC1 CHA R2.....[75]  
Round Trip Latency MC1 CHA R3.....[75]  
Round Trip Latency MC1 CHA R4.....[25]  
Round Trip Latency MC1 CHA R5.....[25]  
Round Trip Latency MC1 CHA R6.....[25]  
Round Trip Latency MC1 CHA R7.....[25]
```

1.4.3.0 Memory Training Algorithms

Early Command Training.....	[Auto]
SenseAmp Offset Training.....	[Auto]
Early ReadMPR Timing Centering 2D.....	[Auto]
Read MPR Training.....	[Auto]
Receive Enable Training.....	[Auto]
Jedec Write Leveling.....	[Auto]
Early Write Time Centering 2D.....	[Auto]
Early Read Time Centering 2D.....	[Auto]
Write Timing Centering 1D.....	[Auto]
Write Voltage Centering 1D.....	[Auto]
Read Timing Centering 1D.....	[Auto]
Dimm ODT Training*.....	[Auto]
Max RTT_WR.....	[ODT Off]
DIMM RON Training*.....	[Auto]
Write Drive Strength/Equalization 2D*.....	[Auto]
Write Slew Rate Training*.....	[Auto]
Read ODT Training*.....	[Auto]
Comp Optimization Training.....	[Auto]
Read Equalization Training*.....	[Auto]
Read Amplifier Training*.....	[Auto]
Write Timing Centering 2D.....	[Auto]
Read Timing Centering 2D.....	[Auto]
Command Voltage Centering.....	[Auto]
Early Command Voltage Centering.....	[Auto]
Write Voltage Centering 2D.....	[Auto]
Read Voltage Centering 2D.....	[Auto]
Late Command Training.....	[Auto]
Round Trip Latency.....	[Enabled]
Turn Around Timing Training.....	[Auto]
CMD CTL CLK Slew Rate.....	[Auto]
CMD/CTL DS & E 2D.....	[Auto]
Read Voltage Centering 1D.....	[Auto]
TxDqTCO Comp Training*.....	[Auto]
C1kTCO Comp Training*.....	[Auto]
TxDqsTCO Comp Training*.....	[Auto]
VccDLL Bypass Training.....	[Auto]
CMD/CTL Drive Strength Up/Dn 2D.....	[Auto]
DIMM CA ODT Training.....	[Auto]
PanicVttDnLp Training*.....	[Auto]
Read Vref Decap Training*.....	[Auto]
Vddq Training.....	[Auto]
Duty Cycle Correction Training.....	[Auto]
Rank Margin Tool Per Bit.....	[Auto]
DIMM DFE Training.....	[Auto]
Tx Dqs Dcc Training.....	[Auto]
Rank Margin Tool.....	[Auto]
Memory Test.....	[Auto]
DIMM SPD Alias Test.....	[Auto]
Receive Enable Centering 1D.....	[Auto]
Retrain Margin Check.....	[Auto]
Write Drive Strength Up/Dn independently.....	[Auto]
Margin Check Limit.....	[Disabled]

1.4.4.0 Configure Memory Dynamic Frequency Switching

```
#####
Dynamic Memory Boost.....[Disabled]
Realtime Memory Frequency.....[Disabled]
SA GV.....[Disabled]
```

1.5.0.0 DIGI+ VRM

```
#####
VRM Initialization Check (VRM-Initialisierungsprüfung).....[Deaktiviert]
CPU Input Voltage Load-line Calibration.....[Auto]
CPU Load-Line Calibration (CPU-Belastungslinie-Kalibrierung).....[Level 5]
Synch ACDC Loadline with VRM Loadline.....[Deaktiviert]
CPU Current Capability (CPU-Stromfähigkeit).....[170%]
CPU VRM Switching Frequency (CPU-VRM-Schaltfrequenz).....[Auto]
VRM Spread Spectrum (VRM-Streuspektrum).....[Auto]
CPU Power Duty Control (CPU-Leistungszyklusregelung).....[Extreme]
CPU Power Phase Control (CPU-Leistungsphasensteuerung).....[Extrem]
CPU Core/Cache Boot Voltage.....[Auto]
CPU Input Boot Voltage.....[Auto]
PLL Termination Boot Voltage.....[Auto]
CPU Standby Boot Voltage.....[Auto]
Memory Controller Boot Voltage.....[Auto]
```

1.6.0.0 Auto Coltage Caps

```
#####
CPU Core Auto Voltage Cap.....[Auto]
CPU Input Auto Voltage Cap.....[Auto]
```

1.7.0.0 Internal CPU Power Management (Interne CPU-Energieverwaltung)

```
#####
Maximum CPU Core Temperature.....[Auto]
Package Temperature Threshold.....[Auto]
Regulate Frequency by above Threshold.....[Auto]
IVR Transmitter VDDQ ICCMAX.....[Auto]
Unlimited ICCMAX.....[Auto]
CPU Core/Cache Current Limit Max. (CPU-Kern-/Cache-Stromgrenze max.)....[511.75]
Long Duration Package Power Limit (Langzeit-Paket-Leistungslimit).....[4095]
Package Power Time Window (Paket-Leistungszeitfenster).....[Auto]
Short Duration Package Power Limit (Kurzzeit-Paket-Leistungslimit).....[4095]
IA AC Load Line.....[0.01]
IA DC Load Line.....[0.01]
IA CEP Enable.....[Auto]
SA CEP Enable.....[Auto]
IA SoC Iccmax Reactive Protector.....[Auto]
Inverse Temperature Dependency Throttle.....[Auto]
IA VR Voltage Limit.....[Auto]
```

1.8.0.0 Thermal Velocity Boost

```
#####
TVB Voltage Optimizations.....[Auto]
V-Max Stress.....[Auto]
Overclocking TVB.....[+1Boost Profile]
```

1.9.0.0 V/F Point Offset

```
#####
Offset Mode Sign 1.....[+]
V/F Point 1 Offset.....[Auto]
Offset Mode Sign 2.....[+]
V/F Point 2 Offset.....[Auto]
Offset Mode Sign 3.....[+]
V/F Point 3 Offset.....[Auto]
Offset Mode Sign 4.....[+]
V/F Point 4 Offset.....[Auto]
Offset Mode Sign 5.....[+]
V/F Point 5 Offset.....[Auto]
Offset Mode Sign 6.....[+]
V/F Point 6 Offset.....[Auto]
Offset Mode Sign 7.....[+]
V/F Point 7 Offset.....[Auto]
Offset Mode Sign 8.....[+]
V/F Point 8 Offset.....[Auto]
Offset Mode Sign 9.....[+]
V/F Point 9 Offset.....[Auto]
Offset Mode Sign 10.....[+]
V/F Point 10 Offset.....[Auto]
Offset Mode Sign 11.....[+]
V/F Point 11 Offset.....[Auto]
```

1.10.0.0 Tweaker's Paradise

```
#####
Realtime Memory Timing.....[Disabled]
SPD Write Disable.....[TRUE]
PVD Ratio Threshold.....[Auto]
Banding Ratio.....[Auto]
SA PLL Frequency Override.....[Auto]
BCLK TSC HW Fixup.....[Enabled]
Core Ratio Extension Mode.....[Disabled]
FLL OC mode.....[Auto]
Core PLL Voltage.....[Auto]
GT PLL Voltage.....[Auto]
Ring PLL Voltage.....[Auto]
System Agent PLL Voltage.....[Auto]
Memory Controller PLL Voltage.....[Auto]
CPU 1.8V Small Rail.....[Auto]
PLL Termination Voltage.....[Auto]
CPU Standby-Spannung.....[Auto]
PCH 1.05V Voltage.....[Auto]
PCH 0.82V Voltage.....[Auto]
CPU Input Voltage Reset Voltage.....[Auto]
```

1.11.0.0 AI Features

```
#####
Package Temperature Threshold.....[Auto]
Regulate Frequency by above Threshold.....[Auto]
Cooler Efficiency Customize.....[Keep Training]
Cooler Re-evaluation Algorithm.....[Normal]
Optimism Scale.....[100]
```

1.12.0.0 DRAM REF Voltage Control

DRAM DATA REF Voltage on CHB DIMM1 Rank0 BL4.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank0 BL5.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank0 BL6.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank0 BL7.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL0.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL1.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL2.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL3.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL4.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL5.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL6.....[Auto]
DRAM DATA REF Voltage on CHB DIMM1 Rank1 BL7.....[Auto]